

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (currently amended): A composite soft, unripened curd fermented milk product comprising a pot defining a filling volume and containing distinct adjoining masses including at least one a first mass comprising a fermented milk base and ~~or~~ at least one flavoring composition and or a at least two second mass comprising a fermented milk base bases, ~~wherein each mass has a global viscosity of between 4000 and 15000 mPa-s, and wherein the masses are of contrasting colors and similar viscosities and are arranged side by side~~ and the interface between the contrasting masses is a median surface within the volume of the pot such that there is no substantial migration of one mass into the other caused by each mass having similar viscosities, wherein each mass is accessible for consumption.

Claim 2 (original): The product of claim 1 wherein the pot has a base, at least one sidewall extending from the base for defining the filling volume and an open top, and the masses are arranged along the sidewall so that each is accessible through the open top.

Claim 3 (previously presented): The product of claim 2 wherein the sidewall has a cylindrical or frustoconical shape and a circular, oval or square open top, wherein there are two distinct adjoining masses with a median surface formed at an interface between the masses within the volume of the pot, and wherein each mass is a fermented milk base.

Claim 4 (original): The product of claim 3 wherein the median surface is twisted.

Claim 5 (original): The product of claim 2 wherein the masses are arranged to extend along the sidewall in a non-linear manner.

Claim 6 (original): The product of claim 1 comprising more than two distinct adjoining masses which meet at a common vertical axis of symmetry within the volume of the pot, with at least one of the masses not being a fermented milk base.

Claim 7 (original): The product of claim 1 wherein the fermented milk base of at least one of the masses comprises: from about 50 to 70% by weight lactic curd of plastic consistency of about 12 to 22% dry matter by weight, from about 5 to 20% by weight cream, and from about 10 to 30% by weight of a sweet or fruit preparation.

Claim 8 (previously presented): The product of claim 7, wherein the sweet or fruit preparation in the fermented milk base is stabilized with a stabilizer in an amount of from about 0.5 to 2% by weight.

Claim 9 (original): The product of claim 7, wherein the fermented milk base is aerated to an overrun of up to 120%.

Claims 10-11 (canceled):

Claim 12 (withdrawn): A process for the production of a composite fermented milk product which comprises: providing a pot that defines a filling volume; separately preparing first and second adjoining masses including a first mass comprising a fermented milk base or at least one flavoring composition and a second mass comprising a fermented milk base; and concomitantly side by side filling of the pot with substantially equivalent volumes of at least the first and second masses; wherein the viscosities and temperatures of the masses are controlled so that there is no substantial migration of one mass into the other and each mass is accessible for consumption.

Claim 13 (withdrawn): The process of claim 12 wherein the temperatures of the masses is controlled to be within the range of from about 0° C. to 50° C. and the viscosities of the said masses are adjusted to values corresponding to from about 5000 to 15000 mPa·s.

Claim 14 (withdrawn): The process of claim 12 which further comprises feeding two distinct masses of plastic consistency to hoppers, in which controlled valves allow feeding of the two masses to dosing cylinders and from there by dosing pistons through pipes to a filling head comprising two essentially parallel and vertical filling nozzles and from there into pots carried by a conveyor belt or chain moving step by step underneath, and in which the filling of a pot consists of two half-portions and each half- portion is metered by means of a portion control mechanism.

Claim 15 (withdrawn): The process of claim 14, in which the portion control mechanism comprises upstream of the nozzle a connecting pipe through which the product is delivered to the nozzle and which may be closed and opened by means of a controlled valve, in which the valve is upstream of a passage in the nozzle, the metering chambers consist of the piston cylinders and the pipe section upstream of the valve and in which the passageways including the connecting pipes and the passages in the nozzles provide symmetric flow paths for the distinct masses forming the half-portions for improved filling accuracy whilst limiting steric hindrance and providing for a compact design of the filling head.

Claim 16 (withdrawn): The process of claim 14, wherein the dosing pistons are driven individually to allow for adjustment of dosing speed, by means of a variator of the dosing piston driving motor, which provides for slightly delayed filling of one mass respective to the other for accurate side by side filling when the viscosities of the masses are not exactly the same.

Claim 17 (withdrawn): The process of claim 14, wherein for proper filling without any air pockets being formed, the filling head preferably is mounted on an vertically movable device by which the nozzles descend into the pots in proximity of their bottoms and fill them while the device lifts the nozzles.

Claim 18 (withdrawn): The process of claim 12, wherein filling of the pot is carried out under rotation so that anon-linear masses can be filled and arranged in the pot.

Claim 19 (withdrawn): The process of claim 12 wherein more than two distinct masses are provided such that they meet at a common vertical axis of symmetry within the volume of the pot, with at least one of the masses not being a fermented milk base. with at least one mass not being a fermented milk.

Claim 20 (withdrawn): The process of claim 12 wherein each mass has a global viscosity of between 5000 and 15000 mPa·s and the fermented milk base of at least one of the masses comprises: from about 50 to 70% by weight lactic curd of plastic consistency of about 12 to 22% dry matter by weight, from about 5 to 20% by weight cream, and from about 10 to 30% by weight of a sweet or fruit preparation